



NFOG 2023

| Presenter first name | Presenter last name | Subm. organisation | Title | Category | Abstract number |
|----------------------|---------------------|------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|-----------------|
| Ganesh | Acharya | Karolinska Institutet | Team-Based Learning (TBL) in Clinical Disciplines for Undergraduate Medical Students - A Scoping Review | 8. Other | P113 |
| Ganesh | Acharya | Karolinska Institutet | Team-Based Learning in Obstetrics and Gynecology | 8. Other | P114 |
| Ylva | Af Sandeberg | Uppsala University Hospital | Single motherhood by choice in Sweden: unanticipated support needs and financial problems | 4. Reproduction | P84 |
| Elrika | Andolf | SFOG | Born into Life – a longitudinal study before conception, during fetal life and the first years of life | 4. Reproduction | P78 |
| Kristin | André | Lund Univeristy, Sweden | Maternal origin matters – Country of birth as a risk factor for obstetric anal sphincter injuries: A national cohort study | 2. Obstetrics | P37 |
| Lea Bo Sønderlund | Ankerstjerne | Department of Gynaecology and Obstetrics, Odense University Hospital | Prevalence and risk factors of intimate partner violence among pregnant women in Denmark – A register-based study | 2. Obstetrics | P55 |
| Christina | Anne Vinter | Odense University Hospital | LiPO Teen (the Lifestyle in Pregnancy and Offspring Teenagers): Identification of modifiable antenatal risk factors for childhood obesity - a protocol | 2. Obstetrics | P35 |
| Anna | Aromaa | Department of Obstetrics and Gynecology, Sataairaala Central Hospital and University of Turku | The attitudes and practice patterns of obstetrician-gynecologists towards sexual problems | 5. General Gynaecology | P99 |
| Joline | Asp | Department of Women's and Children's Health, Uppsala University | Alcohol exposure prior to pregnancy-does hazardous consumption affect placenta- and inflammatory-mediated pregnancy outcomes? | 2. Obstetrics | P8 |
| Joline | Asp | Center for Clinical Research Dalarna, Falun, Sweden | What do we register? The validity of prenatal AUDIT screening for alcohol disorders- a Swedish register study | 2. Obstetrics | P70 |
| Paul | Axelsson | Odense Universitetshospital | Postpartum infection rates for intended vaginal delivery compared to intended cesarean delivery: a Danish national register study | 2. Obstetrics | P50 |
| Ida Karoline | Bach Jensen | Department of Gynecology and Obstetrics, North Zealand Hospital, Hillerød, Denmark | Objectively measured physical activity during pregnancy is associated with maternal lipid profile, but not with HbA1c: Data from the FitMum RCT | 2. Obstetrics | P42 |
| Malou | Barbosa | Aarhus University Hospital | Does perineorrhaphy improve sexual health? | 6. Urogynaecology | P104 |
| Jane M. | Bendix | Nordsjællands Hospital, Hillerød | Adherence to recommended physical activity-restrictions due to threatened preterm delivery – a descriptive multi-center study | 2. Obstetrics | P6 |
| Lisa | Berglin | University of Gothenburg | The impact of exclusion due to Covid-19 restrictions on partners satisfaction with Swedish hospital postnatal ward care | 2. Obstetrics | P66 |
| Vibe Munk | Bertelsen | Department of Gynaecology and Obstetrics Randers Regional Hospital | Can pre-treatment with vaginal estrogen improve the colposcopy performance in postmenopausal women? – a randomized controlled trial | 7. Gynaecological Oncology | P105 |
| Sidsel | Boie | Aalborg Universityhospital | Continued versus discontinued oxytocin stimulation in the active phase of labour (CONDISOX): Individual management based on artificial intelligence | 2. Obstetrics | P14 |
| Maja Lecic | Bonnichsen | Vestre Viken HF | SEVERE MATERNAL OBESITY AND ACTIVE LABOUR | 2. Obstetrics | P61 |
| Janina | Bosas | University of Helsinki | Factors affecting female sexual well-being: a 5-year follow-up of a randomized clinical trial on post-abortion contraception | 4. Reproduction | PS024 |
| Gunn Åshild | Botnen | St. Olavs hospital/Norwegian University of Science and Technology, Trondheim | The validity of a question on chronic pelvic pain in the general female population in the HUNT study, Norway | 5. General Gynaecology | P101 |
| Lovisa | Brehmer | Karolinska Universitetsjukhuset | Membranous dysmenorrhea or passage of a decidual cast – review of the literature from Morgagni up to today | 5. General Gynaecology | P97 |
| Signe Haaland | Buer | Norwegian University of Science and Technology (NTNU) | Immunological development in preeclampsia and gestational hypertension assessed by longitudinal serum cytokine profiling | 2. Obstetrics | P29 |
| Alisa | Carlander | Kvinnokliniken Västanmanlands sjukhus Västerås | Unplanned pregnancy is associated with a low risk for women during pregnancy and labor: a Swedish cohort study | 2. Obstetrics | P69 |
| Sif Emilie | Carlsen | Nordsjællands Hospital, RegionH | Pregnant women's experiences with severe chronic pelvic pain treated with Manual/Musculoskeletal Medicine: A qualitative interview study | 2. Obstetrics | P53 |
| Emma Louise | Christiansen | Dept Obstetrics and Gynecology, Aarhus University Hospital, Denmark | Definitions of failed induction of labor: A systematic review | 2. Obstetrics | P17 |
| Rikke Kamp | Damgaard | Dep. Gynecology & Obstetrics, Gødstrup Hospital, Central Denmark Region | Human Papilloma Virus Genotypes for Risk Assessment of Cervical Intraepithelial Neoplasia Grade 2 (CIN2) | 7. Gynaecological Oncology | P106 |
| Rikke Kamp | Damgaard | Dep. Gynecology & Obstetrics, Gødstrup Hospital, Central Denmark Region | Distribution of HPV, age, cytology and expert review in women undergoing active surveillance for cervical intraepithelial neoplasia grade 2 (CIN2) | 7. Gynaecological Oncology | PS010 |
| Danielle | Damm | Skane University Hospital | Predicting maternal morbidity in hypertension disorders in pregnancy with the shrunken pore syndrome ratio to optimize timing of delivery | 2. Obstetrics | P51 |
| Mie | de Wolff | Copenhagen University Hospital, Hvidovre | Is Midwifery Continuity of Care associated with higher satisfaction during pregnancy and birth? | 2. Obstetrics | P34 |
| Helena | Domeij | SBU | Prioritized research questions regarding pregnancy-related pelvic girdle pain | 1. Global Health | P3 |
| Helena | Domeij | SBU | Prioritized development needs associated with caesarean section | 2. Obstetrics | P56 |
| Vilde | Dons | St. Olavs hospital/Norwegian University of Science and Technology, Trondheim | Amsterdam Hyperactive Pelvic Floor Scale. Translation and psychometric testing of a Norwegian version among women with pelvic floor dysfunctions | 5. General Gynaecology | P87 |
| Richelle | Duque Björvang | Uppsala University | Diabetes in pregnancy associated with postpartum depression | 2. Obstetrics | P19 |
| Frida | Ekengård | Kvinnokliniken SUS | Evaluation of CTG guidelines and their impact on clinical decision | 2. Obstetrics | P20 |
| Kristina | Elfgren | Region Stockholm | Experience from HPV self-sampling as part of a population based cervical cancer screening program in the region of Stockholm, Sweden | 8. Other | P108 |
| Hilde | Engjom | Norwegian Institute of Public Health | Lessons from national surveillance of COVID-19 in pregnancy in Norway | 8. Other | P111 |
| Bitu | Eshraghi | Södersjukhuset/KI | A part of my life. The meaning of Female Genital Mutilation and its health consequences. A qualitative study from Sweden. | 1. Global Health | P1 |
| Anne | Eskild | Akershus University Hospital, Norway | Short inter-pregnancy interval and birthweight: A follow-up study of all women in Norway with two singleton deliveries during 1970-2019 | 2. Obstetrics | P63 |
| Mathias | Fagervik | Department of Clinical and Molecular Medicine Faculty of Medicine and Health Sciences, NTNU | Fertility subsequent methotrexate and salpingectomy treatment of first ectopic pregnancy | 4. Reproduction | P79 |
| Trine | Finanger | 4210540 | Facilitating gynecological examination and long acting contraception for women with substance use disorder | 8. Other | P109 |
| Trine | Finanger | St. Olav | Phosphatidylethanol (PEth) as a biological marker of alcohol intake in early pregnancy: an observational study in 4067 pregnant women | 8. Other | PS012 |
| Maria | Forslund | Department of Obstetrics and Gynecology, Institute of Clinical Sciences, Sahlgrenska Academy, Univer | Combined oral contraceptive pill compared with no medical treatment in the management of polycystic ovary syndrome: A systematic review | 5. General Gynaecology | P92 |
| Maria | Forslund | Department of Obstetrics and Gynecology, Institute of Clinical Sciences, Sahlgrenska Academy, Univer | Use of different kinds of combined oral contraceptive pills in polycystic ovary syndrome: A systematic review and meta-analysis | 5. General Gynaecology | PS005 |
| Emma | Fransson | Karolinska Institutet | Restoration of microbiota in newborns (RoMaNs)- a randomized placebo-controlled multicenter allergy prevention study | 8. Other | P112 |
| Rakel | Gabrielsen | Akershus University Hospital, Kristiania University College | Women's health physiotherapists clinical practice and endometriosis patients views of general exercise - a mixed-methods study | 5. General Gynaecology | P103 |
| Karin | Gidén | Department of women and children's health, Uppsala University, Sweden | Remission or persistence? A tool to predict women with high risk for persistent depressive symptoms among women with symptoms early postpartum | 2. Obstetrics | P58 |
| Julie | Glavind | Department of Obstetrics and Gynecology, Aarhus University Hospital | Perinatal outcomes after therapeutic rest in the latent phase of labor: a Cohort study | 2. Obstetrics | P47 |
| Unnur | Gudnadottir | Karolinska Institutet | Pre-pregnancy complications - associated factors and wellbeing in early pregnancy: A Swedish cohort study | 4. Reproduction | P83 |
| Ylva | Guterstam | Karolinska Institutet | Uterine immune cell profiling of patients with early pregnancy bleeding | 4. Reproduction | P85 |
| Rebecca | Götte Eriksson | Uppsala Universitet | Menopausal hormone therapy - where do we stand today? Experiences and challenges among Swedish prescribers. | 5. General Gynaecology | P98 |
| Cecilie Therese | Hagemann | St. Olavs hospital/Norwegian University of Science and Technology, Trondheim | Early intervention after rape to prevent post-traumatic stress disorder and pelvic floor dysfunction – a multicenter randomized control trial | 5. General Gynaecology | P93 |
| Cecilie Therese | Hagemann | St. Olavs hospital/Norwegian University of Science and Technology, Trondheim | Hyperactive pelvic floor in women. A survey among patients and healthy volunteers | 5. General Gynaecology | P95 |
| Lea Kirstine | Hansen | Dept. of Clinical Medicine & Dept. Obstetrics and Gynecology, Aarhus University Hospital, Denmark | Nordic randomized trial on laparoscopic versus vaginal cerclage (NORACT) | 2. Obstetrics | P41 |
| Eva | Hauge | Department of Gynecology and Obstetrics, Randers Regional Hospital, Denmark | The risk of cervical stenosis after conization in postmenopausal women | 5. General Gynaecology | P100 |
| Tina | Haugen | NTNU | The EIR-study pilot: Can we prevent posttraumatic stress after rape? | 8. Other | P116 |
| Signe | Hedegaard | Dept of Obstetrics and Gynecology, Herlev University Hospital, University of Copenhagen | Adherence to different forms of plant-based diet and pregnancy outcomes in the Danish National Birth Cohort | 2. Obstetrics | P5 |
| Hanne | Hegaard | Afdelingen for Graviditet, Fødsel og Barsel, Rigshospitalet | Intimate partner violence among pregnant women in Denmark from 2019-2021 – a hospital-based cross-sectional study | 2. Obstetrics | P33 |
| Emma | Hertting | Karolinska Institutet, Södersjukhuset | The importance of antenatal identification of small for gestational age fetuses | 3. Fetal Medicine | PS018 |
| Anne Engstrø | Husby | NTNU, Norwegian University of Science and Technology | Childbirth Experiences in Women with Polycystic Ovary Syndrome | 2. Obstetrics | P13 |
| Stinne | Høgh | Copenhagen University Hospital: Rigshospitalet | Women's perceptions of biological causes and potentiality of genomic risk markers in postpartum depression | 2. Obstetrics | P73 |

| | | | | | |
|-------------------------|------------------|------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|-------|
| Camilla | Haavaldsen | Akershus University Hospital | The risk of preeclampsia according to gestational age | 2. Obstetrics | P67 |
| Henna | Haavisto | Turku university hospital | Depressive symptoms and sleep disturbances in late pregnancy: associations with experience of induction of labor with a catheter | 2. Obstetrics | P18 |
| Sine | Jacobsen | Department of Obstetrics and Gynaecology, Randers Regional Hospital, Denmark | Vaginal CO2 laser therapy for genitourinary syndrome in breast cancer survivors - A randomized blinded controlled trial | 5. General Gynaecology | P102 |
| Maria | Jeppgaard | Gynækologisk og Obstetrisk afdeling, Amager Hvidovre Hospital | AI assisted telephone triage in emergency maternity care | 2. Obstetrics | P7 |
| Maria | Jeppgaard | Gynækologisk og Obstetrisk afdeling, Amager Hvidovre Hospital | Winter, spring, summer or fall: Temporal patterns in placenta-mediated pregnancy complications – an exploratory analysis | 2. Obstetrics | PSO22 |
| Mette L | Josefsson | Uppsala University | Patient reported satisfaction after spontaneous second-degree tear compared to episiotomy – a Swedish register-based cohort study | 2. Obstetrics | PSO20 |
| Camilla | Jäntti | University of Helsinki | Pre-abortion contraceptive planning predicts the rate and type of post-abortion hormonal contraception use | 4. Reproduction | P82 |
| Tina | Kantomaa | Oulun yliopisto | First trimester maternal serum PAPP-A and free β -hCG levels and risk of SGA or LGA with GDM patients and controls | 2. Obstetrics | P24 |
| Nikoline Schou | Karlsen | Department of Gynecology, Rigshospitalet/Copenhagen University Hospital | Preoperative identification of borderline ovarian tumors using the International Ovarian Tumor Analysis group (IOTA) terminology and ADNEX model. | 7. Gynaecological Oncology | PSO11 |
| Gulnara | Kassymova | Linköping University | Impact of symptoms of anxiety and depression on the use of unplanned telephone contacts and visits with the healthcare after benign hysterectomy | 5. General Gynaecology | P96 |
| Venla | Kemppainen | Helsinki University Hospital | History of induced abortion is associated to fear of childbirth in primiparous women. A Finnish population based register study. | 2. Obstetrics | P27 |
| Riina | Korjamo | Helsinki University Hospital, Department of Obstetrics and Gynecology | The criminal procedure in rape cases regarding clients of the Helsinki Seri Support Center, Finland | 8. Other | P115 |
| Lise Qvirin | Krogh | Aarhus University Hospital | FULL TERM INDUCTION OF LABOUR VERSUS EXPECTANT MANAGEMENT IN WOMEN WITH OBESITY: SYSTEMATIC REVIEW AND META-ANALYSIS | 2. Obstetrics | P25 |
| Lise Qvirin | Krogh | Aarhus University Hospital | WHEN TO INDUCE FOR OVERWEIGHT (THE WINDOW STUDY): AN ONGOING RANDOMISED CONTROLLED TRIAL | 2. Obstetrics | P71 |
| Monica | Ladekarl | Amager Hvidovre Hospital, Region Hovedstaden | Optimizing telephone triage of pregnant and birthing women by developing a voice bot solution in multiple languages | 2. Obstetrics | P43 |
| Katarina | Laine | Oslo University Hospital | Increased proportion of spontaneous vaginal deliveries in Norway | 2. Obstetrics | P32 |
| Marit | Larsen | NTNU | Proactive vs. standard support of labour – a randomized controlled clinical trial | 2. Obstetrics | P57 |
| Marie | Larsen | Københavns Universitet | Incidence of shoulder dystocia and risk factors for recurrence in the subsequent pregnancy | 2. Obstetrics | P31 |
| Jennie | Larsudd-Kåverud | Gothenburg Continence Research Group | Predicting risk of anal sphincter injury at delivery in primi- and secundipara and at the first vaginal delivery after a caesarean section | 2. Obstetrics | P52 |
| Ditte Søndergaard | Linde | Odense University Hospital | Screening for gestational diabetes mellitus (GDM) and co-creation of a self-care intervention in Vietnam – protocol for the VALID-II study | 1. Global Health | P4 |
| Linda | Lindström | Uppsala University | Accuracy and precision of sonographic fetal weight estimation in Sweden | 3. Fetal Medicine | PSO19 |
| Reetta | Linnakaari | HUS | Association of miscarriage and mental health - a Finnish nationwide register-based study | 5. General Gynaecology | P89 |
| Peter | Lukas | Linköping University | Association between preoperative spatial pain extent and postoperative pain after benign hysterectomy with emphasis on pelvic pain. | 5. General Gynaecology | P88 |
| Minna | Lundén | Danderyds Sjukhus | Women born in sub-Saharan countries have an increasing incidence of stillbirth, a cohort study in Stockholm 2001-2020. | 2. Obstetrics | P72 |
| Anna | Lundmark Drca | Kvinnokliniken, Södersjukhuset, Stockholm | Sexual function and pain 10-14 years after insertion of a mid-urethral sling among women with stress urinary incontinence in Sweden | 6. Urogynaecology | PSO9 |
| Kathrine Dyhr | Lycke | Gødstrup Hospital | Risk of preterm birth after active surveillance for cervical intraepithelial neoplasia grade 2 | 5. General Gynaecology | PSO1 |
| Kathrine Dyhr | Lycke | Gødstrup Hospital | Regression and progression rates of untreated cervical intraepithelial neoplasia grade 2 | 5. General Gynaecology | PSO2 |
| Johanna | Melin | Department of Obstetrics and Gynecology, Helsinki University Hospital, Finland | Effect of metformin in the management of polycystic ovary syndrome: a systematic review and meta-analysis of randomized controlled trials | 5. General Gynaecology | PSO6 |
| Camilla Tjønneland | Mentzoni | Norwegian Institute of Public Health | Temporal trends in severe postpartum hemorrhage among nulliparous women with a spontaneous onset of labor at term. | 2. Obstetrics | P65 |
| Emmeli | Mikkelsen | Aarhus University | Fetal membrane cells in maternal blood at term | 2. Obstetrics | P23 |
| Johanna | Molin | Umeå University | Placental leptin and leptin receptor gene expression in women with polycystic ovary syndrome treated with metformin or placebo.. | 2. Obstetrics | P48 |
| Tia | Mäkelä | Helsinki University Hospital | How do different childbirth experience scales predict childbirth related posttraumatic stress symptoms and disorder? | 2. Obstetrics | P28 |
| Nora Hersoug | Nedberg | UIT Norges Arktiske Universitet | New insights on maternal platelet alloimmunization and placenta function | 2. Obstetrics | P39 |
| Mahsa | Nordqvist | Akleja Kvinnoklinik | Oral Lactobacillus Rhamnosus exposure during pregnancy and effects on maternal inflammatory response | 2. Obstetrics | P44 |
| Sunnvá Hanusardóttir | Olsen | Department of Obstetrics and Gynecology, National Hospital of the Faroe Islands, Tórshavn, Faroe Isl | Birthweight and gestational age in the Faroe Islands | 2. Obstetrics | P10 |
| Maria | Otterheim | Kvinnokliniken Vrinnevisjukhuset Norrköping | Pelvic floor dysfunction eight weeks after an obstetric second degree perineal laceration in relation to BMI | 2. Obstetrics | P46 |
| Camilla Viola Buskbjerg | Palm | DSOG | Prenatal Testosterone Exposure and Associations with Offspring Body Composition at 7 Years of Age. Odense Child Cohort. | 2. Obstetrics | PSO17 |
| Sofia | Persson | Uppsala University | Hyperandrogenic Symptoms Are a Persistent Suffering in Midlife Women with PCOS; a Prospective Cohort Study in Sweden | 4. Reproduction | P80 |
| Sofia | Persson | Uppsala University | Higher risk of type 2 diabetes in women with hyperandrogenic polycystic ovary syndrome | 4. Reproduction | PSO25 |
| Helene Fjeldvik | Peterson | Akershus University Hospital | Placental size at gestational week 37: Comparison between ongoing pregnancies and deliveries | 2. Obstetrics | P49 |
| Silje | Pettersen | Oslo University Hospital | SEVERE, BUT NOT LIFE-THREATENING - AN INCREASING TREND OF SEVERE POSTPARTUM HEMORRHAGE WAS NOT FOLLOWED BY AN INCREASE IN MATERNAL NEAR MISS | 2. Obstetrics | P62 |
| Kristina | Pettersson | Karolinska university hospital | Preterm birth among women living with hiv in Sweden | 2. Obstetrics | P54 |
| Katarina | Place | Helsinki University Hospital | Childbirth experience in late- and post-term nulliparous women with labor induction | 2. Obstetrics | P12 |
| Päivi | Polo-Kantola | Turku University Hospital and University of Turku | Sleep duration and sleep loss during pregnancy in women with gestational diabetes | 2. Obstetrics | P64 |
| Päivi | Polo-Kantola | Turku University Hospital and University of Turku | Associations between Arterial Health and Sexual Function in Late Middle-aged Women | 5. General Gynaecology | P90 |
| Ida Catharina | Püschl | Department of Obstetrics and Gynecology, Zealand University Hospital, Roskilde, Denmark | Salivary uric acid as a predictive test of preeclampsia, pregnancy-induced hypertension and preterm delivery: A pilot study | 2. Obstetrics | P59 |
| Tina | Randrup | Department of Obstetrics and Gynaecology, Gødstrup Hospital | Characteristics of women undergoing active surveillance for cervical intraepithelial neoplasia grade 2 - A population-based cross-sectional study | 5. General Gynaecology | P91 |
| Frida | Rensfeldt | Unit of Obstetrics and Gynecology - Östersund | Causes of death in stillbirth and quality of care—an example of a local audit | 2. Obstetrics | PSO13 |
| Isa | Reuterwall | Region Västmanland | Unplanned pregnancy and neonatal outcome: a retrospective cohort study | 2. Obstetrics | P68 |
| Ane Lilleøre | Rom | Department of Obstetrics, Copenhagen University Hospital, Rigshospitalet | Paracetamol use prior to and in early pregnancy – prevalence and patterns among women with and without chronic medical diseases | 2. Obstetrics | P45 |
| Steffhaine | Romero | Karolinska Institutet | Long-term neurodevelopmental outcome in children born after low- or mid-station vacuum-assisted delivery: an observational cohort study | 2. Obstetrics | P36 |
| Silke | Rossau | Randers Regional Hospital | Improving patient recruitment into clinical trials | 8. Other | P110 |
| Lena Have | Rosvig | Horsens Regional Hospital | Improving teams' clinical performance in the Labour and Delivery Unit using video-assisted debriefing of real-life events | 2. Obstetrics | P30 |
| Isabella Hangaard | Rüdiger | Department of Gynecology and Obstetrics, Regional Hospital of Randers, Denmark | High Vitamin D Levels Moderates the Prothrombotic Profile in Pregnancy by Reducing Plasminogen Activator Inhibitor 1 | 2. Obstetrics | P26 |
| Mariell | Ryssdal | Norwegian University of Science and Technology | Metformin has immunomodulatory effects in pregnant women with PCOS | 2. Obstetrics | PSO16 |
| Karianne | Sagberg | Akershus university hospital | Placental volume measurements using tracked 2D ultrasound and artificial intelligence | 3. Fetal Medicine | P76 |
| Terhi | Saisto | Helsinki University Women's Clinic | The implementation of a national recommendation concerning obstetric and neonatal emergency training in Finnish maternity hospitals | 8. Other | P117 |
| Anna | Sand | Karolinska Universitetssjukhuset Solna | Cord clamping time and placental transfusion in cesarean sections: an observational multicenter study. | 2. Obstetrics | P15 |
| Kajsa | Sandberg Kedfors | Göteborgs Universitet | The influence of an extended postnatal program on contraceptive use during the first year postpartum – a randomized controlled trial | 5. General Gynaecology | PSO4 |
| Anton | Sandström | Umeå University | Altered GABAA receptor function in women with endometriosis: A possible pain-related mechanism | 5. General Gynaecology | P86 |
| Finn Egil | Skjeldestad | Research Group Epidemiology of Chronic Diseases, Department of Community Medicine | Minor changes in incidence of primary and secondary infertility across birth cohorts 1916 to 1975, but major differences in treatment success | 4. Reproduction | PSO3 |
| Carina | Skorpen | Alesund Hospital | Cesarean section in women with juvenile idiopathic arthritis – a population-based study | 2. Obstetrics | P11 |
| Erica | Smedberg | Södersjukhuset, Sweden | The educational game SonoQz improves diagnostic accuracy in ultrasound assessment of ovarian tumors | 5. General Gynaecology | PSO8 |
| Louise | Stiernman | Umeå University | Emotional brain activation in women with premenstrual dysphoric disorder and association to progesterone-derived neurosteroids | 5. General Gynaecology | P94 |
| Valerie | Stålberg | Region Östergötland, kk VIN | Evaluation of the symphysis-fundal height curve to estimate fetal growth - a Swedish retrospective cohort study | 2. Obstetrics | P22 |
| Nanna S. | Svensson | Dep. of Obstetrics and Gynaecology, Regional Hospital Randers | Next-generation effects of vitamin D supplementation in pregnancy | 2. Obstetrics | P40 |
| Tiia | Saarinén | PEDEGO research unit, University of Oulu | Climacteric status at the age of 46: association with perceived work ability and a two-year follow-up on disability days and unemployment days. | 5. General Gynaecology | PSO7 |
| Elli | Toivonen | Tampere University Hospital | Validation of the Finnish Hospital Discharge Register diagnoses for preeclampsia, gestational diabetes and preterm delivery | 2. Obstetrics | PSO21 |
| Hannibal | Troensegaard | Oslo University Hospital | Protocol for 20 years follow-up after a randomized controlled trial on Mediterranean diet in pregnancy | 3. Fetal Medicine | P77 |

| | | | | | |
|------------------|-------------|-----------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|-------|
| Anastasia | Trouva | Karolinska Institute | Maternal thyroid function as predictor for markers of insulin resistance in pregnant women with polycystic ovary syndrome | 2. Obstetrics | P38 |
| Amanda | Tuomisto | Oulu University Hospital | Male hypogonadism and the risk of pre-diabetes and type 2 diabetes from the age of 31 to 46 years; a population-based follow-up study | 4. Reproduction | P81 |
| Reetta | Varpula | University of Helsinki | COVID-19 in pregnancy: a meta-analysis of population-based surveillance in five Nordic countries yields lessons for current and future pandemics | 2. Obstetrics | P16 |
| Anna Louise | Vestergaard | Regionshospitalet Rander, Kvindesygdomme og Fødsler | Alterations in signalling pathways in placentas – does the dose of vitamin D supplementation in pregnancy matter? | 2. Obstetrics | P9 |
| Christina Anne | Vinter | Odense University Hospital | Evaluation of intrapartum rapid detection of group B streptococci (GBS) tests in women with GBS bacteriuria during pregnancy | 2. Obstetrics | P21 |
| Nadja | Visser | Uppsala University, department of Women's and Children's Health | Effect of phthalate mixtures on endometrial cell gene expression and function in vitro | 4. Reproduction | PS023 |
| Caroline Sylvest | Worm | Aarhus University | Can high maternal vitamin D levels positively affect prenatal neurodevelopment in obese pregnancies? | 3. Fetal Medicine | P75 |
| Mehreen | Zaigham | Lund University, Harvard Medical School | Challenges imposed by the COVID-19 pandemic on the Obstetrics and Gynecology residency program | 8. Other | P107 |
| Mehreen | Zaigham | Lund University, Harvard Medical School | Examining the Quality of Informed Consent in Intrapartum Clinical Trials: a prospective study in Uganda | 1. Global Health | P2 |
| Qiongjie | Zhou | Obstetrics and Gynecology Hospital of Fudan University | Association between levothyroxine treatment for maternal subclinical hypothyroidism with negative TPOAb and infants' neurodevelopment | 3. Fetal Medicine | P74 |
| Anne K. | Örtqvist | Karolinska Institutet | Severe COVID-19 during pregnancy in Sweden, Norway and Denmark | 2. Obstetrics | P60 |
| Anne K. | Örtqvist | Karolinska Institutet | The association between SARS-CoV-2 and de novo hypertension during pregnancy – a population-based cohort study in Sweden and Norway | 2. Obstetrics | PS015 |
| Anna JM | Aabakke | Dept. Obstetrics and Gynecology, Holbæk Hospital, Denmark | Risk factors for and outcomes after SARS-CoV-2 in pregnancy according to disease severity: Cohort study with validation of the SARS-CoV-2 diagnosis | 2. Obstetrics | PS014 |